

REMARKS

The foregoing amendments corrects multiple claim dependency for purposes of calculating the claim fee.

Attached hereto are pages entitled "Version With Markings to Show Changes Made".

If there are any further fees required by this amendment not covered by an enclosed check, or if no check is enclosed, please charge the same to Deposit Account No. 16-0820, Order No. 34307.

Respectfully submitted,

By: 
Joseph J. Corso, Reg. No. 25845

526 Superior Avenue East
Suite 1200
Cleveland, Ohio 44114-1484
(216) 579-1700

January 24, 2002

100301523 850268

531 Rec'd PTO/PAT 0/031973 24 JAN 2002

"VERSION WITH MARKINGS TO SHOW CHANGES MADE"

IN THE CLAIMS:

Claims 4 - 7 have been amended in the following manner.

1 4. (amended) A unit-type roller drive device for
2 motor-driven roller massage actions according to claim 1,
3 [2 or 3,] wherein sensors to vary the turning direction
4 of the drive motor is provided on one side edge portion
5 of the frame in the vicinity of the upper and lower
6 shafts.

1 5. (amended) A motor-driven roller massage
2 instrument, comprising:

3 a bucket-shaped base body having a concave portion
4 provided in the center of the base body for installation
5 of the roller drive device and left and right flexible
6 blade piece portions formed on the left and right sides
7 of said concave portion; and

8 belts mounted to the left and right blade piece
9 portions to fasten the user body and also to fasten the
10 other appliance;

11 wherein the roller drive device according to claim
12 1, [2, 3 or 4] is installed in said concave portion for
13 installation of the roller drive device.

1 6. (amended) A motor-driven roller massage
2 instrument, comprising:
3 an outside frame surrounding a bucket-shaped portion
4 on all sides; and
5 upper and lower lateral rods mounted across the left
6 and right frame portions of the outside frame and
7 respectively having concave portions;
8 wherein the roller drive device according to claim
9 1, [2, 3 or 4] is installed in said concave portions.

1 7. (amended) A legless chair mounted with a motor-
2 driven roller massage instrument, comprising:
3 a back portion rotatably mounted to a seat portion
4 and having an outside frame surrounding the back portion
5 on its upper, left and right sides;
6 upper and lower lateral rods mounted across the left
7 and right sides of the outside frame and respectively
8 having concave portions;
9 wherein the roller drive device according to claim
10 1, [2, 3 or 4] is installed in said concave portions.

Claims 8 - 18 have been added and no marked-up
version is required.